

<b>Owner:</b> <b>DG TAXUD</b>	<b>Issue Date:</b> <b>16/04/2021</b>	<b>Version:</b> <b>5.14.0</b>
<b>TAXATION AND CUSTOMS UNION DG</b> <b>CUST-DEV3 - FC TAXUD/2013/CC/124 - SC 25</b>  <b>SUBJECT:</b>  <b>DDNTA for NCTS P5</b>  <b>Appendix R: XML Mapping</b>  <b>(DDNTA_APP_R)</b>		
<b>FRAMEWORK CONTRACT TAXUD/2013/CC/124</b> <b>SPECIFIC CONTRACT 25</b>		

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
1. Introduction	

## 1. Introduction

This Appendix R of the DDNA presents the XML-tags for all the Data Items and Data Groups used. The naming of the XML tags follows this naming convention:

- For the Data Items:

IF the string is an acronym  
 THEN Upper Case all letters  
 ELSE use camelCase format

Example: MRN -> MRN

Export MRN -> ExportMRN

Declaration date -> declarationDate

Presentation notification rejection date ->presentationNotificationRejectionDate

- For the Data Groups:

IF the string is an acronym  
 THEN Upper Case all letters  
 ELSE use PascalCase format

Example: GPS -> GPS

TRANSPORT EQUIPMENT -> TransportEquipment

ADDITIONAL SUPPLY CHAIN ACTOR -> AdditionalSupplyChainActor

CUSTOMS OFFICE OF RECOVERY AT DEPARTURE -> CustomsOfficeOfRecoveryAtDeparture

## DDNA RFC-List Alignment

The specific Appendix is aligned to DDNTA RFC-List.34

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

## 2. Data Groups

Data-group or Data-item	Data type	XML-Tag
MESSAGE		CDxxxA
MESSAGE.Message sender	an..35	messageSender
MESSAGE.Message recipient	an..35	messageRecipient
MESSAGE.Preparation date and time	an19	preparationDateAndTime
MESSAGE.Message identification	an..35	messageIdentification
MESSAGE.Message type	an6	messageType
MESSAGE.Correlation identifier	an..35	correlationIdentifier
MESSAGE - HEADER		Header
MESSAGE - HEADER.LRN	an..22	LRN
MESSAGE - HEADER.MRN	an18	MRN
MESSAGE - HEADER.LRN	an..35	LRN
MESSAGE - HEADER.MRN	an..35	MRN
MESSAGE - HEADER.Status	an3	status
MESSAGE - TRANSIT OPERATION		TransitOperation
MESSAGE - TRANSIT OPERATION.AES communication purpose	n1	AESCommunicationPurpose
MESSAGE - TRANSIT OPERATION.LRN	an..22	LRN
MESSAGE - TRANSIT OPERATION.MRN	an18	MRN
MESSAGE - TRANSIT OPERATION.Arrival date and time (actual)	an19	arrivalDateAndTimeActual
MESSAGE - TRANSIT OPERATION.Declaration type	an..5	declarationType
MESSAGE - TRANSIT OPERATION.Additional declaration type	a1	additionalDeclarationType
MESSAGE - TRANSIT OPERATION.TIR Carnet number	an..12	TIRCarnetNumber
MESSAGE - TRANSIT OPERATION.Declaration submission date and time	an19	declarationSubmissionDateAndTime
MESSAGE - TRANSIT OPERATION.Declaration acceptance date	an10	declarationAcceptanceDate
MESSAGE - TRANSIT OPERATION.Release date	an10	releaseDate
MESSAGE - TRANSIT OPERATION.Security	n1	security
MESSAGE - TRANSIT OPERATION.Reduced dataset indicator	n1	reducedDatasetIndicator
MESSAGE - TRANSIT OPERATION.Specific circumstance indicator	an3	specificCircumstanceIndicator
MESSAGE - TRANSIT OPERATION.Arrival notification date and time	an19	arrivalNotificationDateAndTime
MESSAGE - TRANSIT OPERATION.Simplified procedure	n1	simplifiedProcedure
MESSAGE - TRANSIT OPERATION.Communication language at departure	a2	communicationLanguageAtDeparture
MESSAGE - TRANSIT OPERATION.Binding itinerary	n1	bindingItinerary
MESSAGE - TRANSIT OPERATION.Release requested	n1	releaseRequested
MESSAGE - TRANSIT OPERATION.Release request date and time	an19	releaseRequestDateAndTime
MESSAGE - TRANSIT OPERATION.Other things to report	an..512	otherThingsToReport
MESSAGE - TRANSIT OPERATION.Amendment submission date and time	an19	amendmentSubmissionDateAndTime
MESSAGE - TRANSIT OPERATION.Amendment acceptance date and time	an19	amendmentAcceptanceDateAndTime
MESSAGE - TRANSIT OPERATION.Discrepancies notification date	an10	discrepanciesNotificationDate
MESSAGE - TRANSIT OPERATION.Discrepancies notification text	an..512	discrepanciesNotificationText
MESSAGE - TRANSIT OPERATION.Request rejection reason code	n..2	requestRejectionReasonCode
MESSAGE - TRANSIT OPERATION.Discrepancies resolved	an1	discrepanciesResolved
MESSAGE - TRANSIT OPERATION.Write-off date	an10	writeOffDate
MESSAGE - TRANSIT OPERATION.Cancel enquiry notification date and time	an19	cancelEnquiryNotificationDateAndTime
MESSAGE - TRANSIT OPERATION.Cancel enquiry notification text	an..512	cancelEnquiryNotificationText
MESSAGE - TRANSIT OPERATION.Control notification date and time	an19	controlNotificationDateAndTime
MESSAGE - TRANSIT OPERATION.Request on non-arrived movement date	an10	requestOnNonArrivedMovementDate
MESSAGE - TRANSIT OPERATION.Recovery communication date	an10	recoveryCommunicationDate
MESSAGE - TRANSIT OPERATION.Incident notification date and time	an19	incidentNotificationDateAndTime
MESSAGE - TRANSIT OPERATION.Limit for response date	an10	limitForResponseDate
MESSAGE - TRANSIT OPERATION.Status	an3	status
MESSAGE - TRANSIT OPERATION.Usage cancellation date	an10	usageCancellationDate

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - TRANSIT OPERATION.Amendment notification date and time	an19	amendmentNotificationDateAndTime
MESSAGE - TRANSIT OPERATION.Incident flag	n1	incidentFlag
MESSAGE - TRANSIT OPERATION.Business rejection type	an3	businessRejectionType
MESSAGE - TRANSIT OPERATION.Rejection date and time	an19	rejectionDateAndTime
MESSAGE - TRANSIT OPERATION.Rejection code	n..2	rejectionCode
MESSAGE - TRANSIT OPERATION.Rejection reason	an..512	rejectionReason
MESSAGE - TRANSIT OPERATION.Amendment type flag	n1	amendmentTypeFlag
MESSAGE - TRANSIT OPERATION - EXPORT OPERATION		ExportOperation
MESSAGE - TRANSIT OPERATION - EXPORT OPERATION.Sequence number	n..5	sequenceNumber
MESSAGE - TRANSIT OPERATION - EXPORT OPERATION.MRN	an18	MRN
MESSAGE - TRANSIT OPERATION - EXPORT OPERATION.Transit procedure category	n1	transitProcedureCategory
MESSAGE - TRANSIT OPERATION.Notification type	n1	notificationType
MESSAGE - TRANSIT OPERATION.No release motivation code	an2	noReleaseMotivationCode
MESSAGE - TRANSIT OPERATION.No release motivation text	an..512	noReleaseMotivationText
MESSAGE - TRANSIT OPERATION.Passage date	an10	passageDate
MESSAGE - TRANSIT OPERATION.Limit date	an10	limitDate
MESSAGE - TRANSIT OPERATION.Release indicator	n1	releaseIndicator
MESSAGE - EXPORT OPERATION		ExportOperation
MESSAGE - EXPORT OPERATION.Sequence number	n..5	sequenceNumber
MESSAGE - EXPORT OPERATION.MRN	an18	MRN
MESSAGE - EXPORT OPERATION - CONTROL RESULT		ControlResult
MESSAGE - EXPORT OPERATION - CONTROL RESULT.Code	an2	code
MESSAGE - EXPORT OPERATION - CONTROL RESULT.Date	an10	date
MESSAGE - INVALIDATION		Invalidation
MESSAGE - INVALIDATION.Request date and time	an19	requestDateAndTime
MESSAGE - INVALIDATION.Decision date and time	an19	decisionDateAndTime
MESSAGE - INVALIDATION.Decision	n1	decision
MESSAGE - INVALIDATION.Initiated by customs	n1	initiatedByCustoms
MESSAGE - INVALIDATION.Justification	an..512	justification
MESSAGE - CUSTOMS OFFICE OF EXIT		CustomsOfficeOfExit
MESSAGE - CUSTOMS OFFICE OF EXIT.Reference number	an8	referenceNumber
MESSAGE - RECOVERY NOTIFICATION		RecoveryNotification
MESSAGE - RECOVERY NOTIFICATION.Recovery notification date	an10	recoveryNotificationDate
MESSAGE - RECOVERY NOTIFICATION.Recovery notification text	an..512	recoveryNotificationText
MESSAGE - RECOVERY NOTIFICATION.Amount claimed	n..16,2	amountClaimed
MESSAGE - RECOVERY NOTIFICATION.Currency	a3	currency
MESSAGE - AUTHORISATION		Authorisation
MESSAGE - AUTHORISATION.Sequence number	n..5	sequenceNumber
MESSAGE - AUTHORISATION.Type	an..4	type
MESSAGE - AUTHORISATION.Reference number	an..35	referenceNumber
MESSAGE - CUSTOMS OFFICE OF DEPARTURE		CustomsOfficeOfDeparture
MESSAGE - CUSTOMS OFFICE OF DEPARTURE.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF DESTINATION		CustomsOfficeOfDestination
MESSAGE - CUSTOMS OFFICE OF DESTINATION.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF DESTINATION (DECLARED)		CustomsOfficeOfDestinationDeclared
MESSAGE - CUSTOMS OFFICE OF DESTINATION (DECLARED).Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF DESTINATION (ACTUAL)		CustomsOfficeOfDestinationActual
MESSAGE - CUSTOMS OFFICE OF DESTINATION (ACTUAL).Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF DESTINATION		CustomsOfficeOfDestination
MESSAGE - CUSTOMS OFFICE OF DESTINATION.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF TRANSIT		CustomsOfficeOfTransit
MESSAGE - CUSTOMS OFFICE OF TRANSIT.Reference number	an8	referenceNumber

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CUSTOMS OFFICE OF TRANSIT (DECLARED)		CustomsOfficeOfTransitDeclared
MESSAGE - CUSTOMS OFFICE OF TRANSIT (DECLARED).Sequence number	n..5	sequenceNumber
MESSAGE - CUSTOMS OFFICE OF TRANSIT (DECLARED).Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF TRANSIT (DECLARED).Arrival date and time (estimated)	an19	arrivalDateAndTimeEstimated
MESSAGE - CUSTOMS OFFICE OF TRANSIT (ACTUAL)		CustomsOfficeOfTransitActual
MESSAGE - CUSTOMS OFFICE OF TRANSIT (ACTUAL).Sequence number	n..5	sequenceNumber
MESSAGE - CUSTOMS OFFICE OF TRANSIT (ACTUAL).Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF TRANSIT (ACTUAL).Guarantee not valid for country	n1	guaranteeNotValidForCountry
MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT		CustomsOfficeOfExitForTransit
MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (DECLARED)		CustomsOfficeOfExitForTransitDeclared
MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (DECLARED).Sequence number	n..5	sequenceNumber
MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (DECLARED).Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (ACTUAL)		CustomsOfficeOfExitForTransitActual
MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (ACTUAL).Sequence number	n..5	sequenceNumber
MESSAGE - CUSTOMS OFFICE OF EXIT FOR TRANSIT (ACTUAL).Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF INCIDENT REGISTRATION		CustomsOfficeOfIncidentRegistration
MESSAGE - CUSTOMS OFFICE OF INCIDENT REGISTRATION.Sequence number	n..5	sequenceNumber
MESSAGE - CUSTOMS OFFICE OF INCIDENT REGISTRATION.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING		CustomsOfficeOfRecoveryRequesting
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING - CONTACT PERSON		ContactPerson
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING - CONTACT PERSON.Name	an..70	name
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTING - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED		CustomsOfficeOfRecoveryRequested
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED - CONTACT PERSON		ContactPerson
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED - CONTACT PERSON.Name	an..70	name
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - CUSTOMS OFFICE OF RECOVERY REQUESTED - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE		CustomsOfficeOfRecoveryAtDeparture
MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE - CONTACT PERSON		ContactPerson
MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE - CONTACT PERSON.Name	an..70	name
MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE - CONTACT PERSON.Phone number	an..35	phoneNumber

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - CUSTOMS OFFICE OF RECOVERY		CustomsOfficeOfRecovery
MESSAGE - CUSTOMS OFFICE OF RECOVERY.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF REQUEST		CustomsOfficeOfRequest
MESSAGE - CUSTOMS OFFICE OF REQUEST.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF REQUEST - CONTACT PERSON		ContactPerson
MESSAGE - CUSTOMS OFFICE OF REQUEST - CONTACT PERSON.Name	an..70	name
MESSAGE - CUSTOMS OFFICE OF REQUEST - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - CUSTOMS OFFICE OF REQUEST - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE		CustomsOfficeOfEnquiryAtDeparture
MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE.Reference number	an8	referenceNumber
MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE - CONTACT PERSON		ContactPerson
MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE - CONTACT PERSON.Name	an..70	name
MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - CUSTOMS OFFICE OF ENQUIRY AT DEPARTURE - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE		CompetentCustomsOfficeAtDeparture
MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE.Reference number	an8	referenceNumber
MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE - CONTACT PERSON		ContactPerson
MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE - CONTACT PERSON.Name	an..70	name
MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - COMPETENT CUSTOMS OFFICE AT DEPARTURE - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION		CompetentCustomsOfficeAtDestination
MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION.Reference number	an8	referenceNumber
MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION - CONTACT PERSON		ContactPerson
MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION - CONTACT PERSON.Name	an..70	name
MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - COMPETENT CUSTOMS OFFICE AT DESTINATION - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE		HolderOfTheTransitProcedure
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE.Identification number	an..17	identificationNumber
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE.TIR holder identification number	an..17	TIRHolderIdentificationNumber
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE.Name	an..70	name
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS		Address
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS.Postcode	an..17	postcode
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS.City	an..35	city
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - ADDRESS.Country	a2	country
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - CONTACT PERSON		ContactPerson
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - CONTACT PERSON.Name	an..70	name
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - CONTACT PERSON.Phone number	an..35	phoneNumber

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - HOLDER OF THE TRANSIT PROCEDURE - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - RECOVERY		Recovery
MESSAGE - RECOVERY.Recovery acceptance	n1	recoveryAcceptance
MESSAGE - RECOVERY.Recovery communication date	an10	recoveryCommunicationDate
MESSAGE - RECOVERY.Collection date	an10	collectionDate
MESSAGE - RECOVERY.Text	an..512	text
MESSAGE - GUARANTOR		Guarantor
MESSAGE - GUARANTOR.Identification number	an..17	identificationNumber
MESSAGE - GUARANTOR.Name	an..70	name
MESSAGE - GUARANTOR - ADDRESS		Address
MESSAGE - GUARANTOR - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - GUARANTOR - ADDRESS.Postcode	an..17	postcode
MESSAGE - GUARANTOR - ADDRESS.City	an..35	city
MESSAGE - GUARANTOR - ADDRESS.Country	a2	country
MESSAGE - REPRESENTATIVE		Representative
MESSAGE - REPRESENTATIVE.Identification number	an..17	identificationNumber
MESSAGE - REPRESENTATIVE.Status	n1	status
MESSAGE - REPRESENTATIVE - CONTACT PERSON		ContactPerson
MESSAGE - REPRESENTATIVE - CONTACT PERSON.Name	an..70	name
MESSAGE - REPRESENTATIVE - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - REPRESENTATIVE - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - TRADER AT DESTINATION		TraderAtDestination
MESSAGE - TRADER AT DESTINATION.Identification number	an..17	identificationNumber
MESSAGE - TRADER AT DESTINATION.Communication language at destination	a2	communicationLanguageAtDestination
MESSAGE - REQUESTER		Requester
MESSAGE - REQUESTER.Identification number	an..17	identificationNumber
MESSAGE - REQUESTER.Role	n1	role
MESSAGE - CONTROL RESULT		ControlResult
MESSAGE - CONTROL RESULT.Code	an2	code
MESSAGE - CONTROL RESULT.Date	an10	date
MESSAGE - CONTROL RESULT.State of seals	n1	stateOfSeals
MESSAGE - CONTROL RESULT.Controlled by	an..35	controlledBy
MESSAGE - CONTROL RESULT.Remark	an..512	remark
MESSAGE - CONTROL RESULT.Text	an..512	text
MESSAGE - COUNTRY INVOLVED		CountryInvolved
MESSAGE - COUNTRY INVOLVED.Sequence number	n..5	sequenceNumber
MESSAGE - COUNTRY INVOLVED.Country	a2	country
MESSAGE - GUARANTEE		Guarantee
MESSAGE - GUARANTEE.Sequence number	n..5	sequenceNumber
MESSAGE - GUARANTEE.Guarantee type	an1	guaranteeType
MESSAGE - GUARANTEE.Other guarantee reference	an..35	otherGuaranteeReference
MESSAGE - GUARANTEE - GUARANTEE REFERENCE		GuaranteeReference
MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Sequence number	n..5	sequenceNumber
MESSAGE - GUARANTEE - GUARANTEE REFERENCE.GRN	an..24	GRN
MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Access code	an..4	accessCode
MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Amount to be covered	n..16,2	amountToBeCovered
MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Amount concerned	n..16,2	amountConcerned
MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Currency	a3	currency
MESSAGE - GUARANTEE - GUARANTEE REFERENCE - CUSTOMS OFFICE OF GUARANTEE		CustomsOfficeOfGuarantee
MESSAGE - GUARANTEE - GUARANTEE REFERENCE - CUSTOMS OFFICE OF GUARANTEE.Reference number	an8	referenceNumber
MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION		ValidityLimitation
MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION.Sequence number	n..5	sequenceNumber

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION.Guarantee not valid in	a2	guaranteeNotValidIn
MESSAGE - GUARANTEE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON		InvalidGuaranteeReason
MESSAGE - GUARANTEE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Sequence number	n..5	sequenceNumber
MESSAGE - GUARANTEE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Code	an..3	code
MESSAGE - TYPE OF CONTROLS		TypeOfControls
MESSAGE - TYPE OF CONTROLS.Sequence number	n..5	sequenceNumber
MESSAGE - TYPE OF CONTROLS.Type	an..3	type
MESSAGE - TYPE OF CONTROLS.Text	an..512	text
MESSAGE - ENQUIRY		Enquiry
MESSAGE - ENQUIRY.Date	an10	date
MESSAGE - ENQUIRY.TC11 delivery date	an10	TC11DeliveryDate
MESSAGE - ENQUIRY.Enquiry request date	an10	enquiryRequestDate
MESSAGE - ENQUIRY.Enquiry response date	an10	enquiryResponseDate
MESSAGE - ENQUIRY.Information available from trader	n1	informationAvailableFromTrader
MESSAGE - ENQUIRY.Response code	n..2	responseCode
MESSAGE - ENQUIRY.Text	an..512	text
MESSAGE - ENQUIRY.Return copy returned date	an10	returnCopyReturnedDate
MESSAGE - ENQUIRY.Limit for the enquiry response date	an10	limitForTheEnquiryResponseDate
MESSAGE - RESPONSE INFORMATION		ResponseInformation
MESSAGE - RESPONSE INFORMATION.Sequence number	n..5	sequenceNumber
MESSAGE - RESPONSE INFORMATION.Information code	n2	informationCode
MESSAGE - RESPONSE INFORMATION.Text	an..512	text
MESSAGE - REQUESTED INFORMATION		RequestedInformation
MESSAGE - REQUESTED INFORMATION.Sequence number	n..5	sequenceNumber
MESSAGE - REQUESTED INFORMATION.Code	n1	code
MESSAGE - REQUESTED INFORMATION.Text	an..512	text
MESSAGE - CTL_CONTROL		CTLControl
MESSAGE - CTL_CONTROL.Continue unloading	n1	continueUnloading
MESSAGE - UNLOADING REMARK		UnloadingRemark
MESSAGE - UNLOADING REMARK.Conform	n1	conform
MESSAGE - UNLOADING REMARK.Unloading completion	n1	unloadingCompletion
MESSAGE - UNLOADING REMARK.Unloading date	an10	unloadingDate
MESSAGE - UNLOADING REMARK.State of seals	n1	stateOfSeals
MESSAGE - UNLOADING REMARK.Unloading remark	an..512	unloadingRemark
MESSAGE - GUARANTOR NOTIFICATION		GuarantorNotification
MESSAGE - GUARANTOR NOTIFICATION.Guarantor notification date	an10	guarantorNotificationDate
MESSAGE - GUARANTOR NOTIFICATION.Guarantor notification text	an..512	guarantorNotificationText
MESSAGE - AES RESULTS		AESResults
MESSAGE - AES RESULTS.AES communication purpose	n1	AESCommunicationPurpose
MESSAGE - AES RESULTS.Response date and time	an19	responseDateAndTime
MESSAGE - AES RESULTS.Global validation response	n1	globalValidationResponse
MESSAGE - AES RESULTS - EXPORT OPERATION		ExportOperation
MESSAGE - AES RESULTS - EXPORT OPERATION.Sequence number	n..5	sequenceNumber
MESSAGE - AES RESULTS - EXPORT OPERATION.MRN	an18	MRN
MESSAGE - AES RESULTS - EXPORT OPERATION.Security	n1	security
MESSAGE - AES RESULTS - EXPORT OPERATION.Result indicator	an2	resultIndicator
MESSAGE - RISK ANALYSIS IDENTIFICATION		RiskAnalysisIdentification
MESSAGE - RISK ANALYSIS IDENTIFICATION.Code	a1	code
MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS		RiskAnalysis
MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS.Sequence number	n..5	sequenceNumber
MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS.Declaration goods item number	n..5	declarationGoodsItemNumber
MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT		RiskAnalysisResult



DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT.Sequence number	n..5	sequenceNumber
MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT.Code	an..17	code
MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT.Risk area code	an..7	riskAreaCode
MESSAGE - RISK ANALYSIS IDENTIFICATION - RISK ANALYSIS - RISK ANALYSIS RESULT.Text	an..512	text
MESSAGE - CONSIGNMENT		Consignment
MESSAGE - CONSIGNMENT.Country of dispatch	a2	countryOfDispatch
MESSAGE - CONSIGNMENT.Country of destination	a2	countryOfDestination
MESSAGE - CONSIGNMENT.Container indicator	n1	containerIndicator
MESSAGE - CONSIGNMENT.Inland mode of transport	n1	inlandModeOfTransport
MESSAGE - CONSIGNMENT.Mode of transport at the border	n1	modeOfTransportAtTheBorder
MESSAGE - CONSIGNMENT.Gross mass	n..16,6	grossMass
MESSAGE - CONSIGNMENT.Reference number UCR	an..70	referenceNumberUCR
MESSAGE - CONSIGNMENT.Reference number UCR	an..35	referenceNumberUCR
MESSAGE - CONSIGNMENT - CARRIER		Carrier
MESSAGE - CONSIGNMENT - CARRIER.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - CARRIER - CONTACT PERSON		ContactPerson
MESSAGE - CONSIGNMENT - CARRIER - CONTACT PERSON.Name	an..70	name
MESSAGE - CONSIGNMENT - CARRIER - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - CONSIGNMENT - CARRIER - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - CONSIGNMENT - CONSIGNOR		Consignor
MESSAGE - CONSIGNMENT - CONSIGNOR.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - CONSIGNOR.Name	an..70	name
MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS		Address
MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS.City	an..35	city
MESSAGE - CONSIGNMENT - CONSIGNOR - ADDRESS.Country	a2	country
MESSAGE - CONSIGNMENT - CONSIGNOR - CONTACT PERSON		ContactPerson
MESSAGE - CONSIGNMENT - CONSIGNOR - CONTACT PERSON.Name	an..70	name
MESSAGE - CONSIGNMENT - CONSIGNOR - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - CONSIGNMENT - CONSIGNOR - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - CONSIGNMENT - CONSIGNEE		Consignee
MESSAGE - CONSIGNMENT - CONSIGNEE.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - CONSIGNEE.Name	an..70	name
MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS		Address
MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS.City	an..35	city
MESSAGE - CONSIGNMENT - CONSIGNEE - ADDRESS.Country	a2	country
MESSAGE - CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR		AdditionalSupplyChainActor
MESSAGE - CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Role	a..3	role
MESSAGE - CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT		TransportEquipment
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT.Container identification number	an..17	containerIdentificationNumber
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT.Number of seals	n..4	numberOfSeals
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - SEAL		Seal
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - SEAL.Sequence number	n..5	sequenceNumber

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - SEAL.Identifier	an..20	identifier
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - GOODS REFERENCE		GoodsReference
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - GOODS REFERENCE.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - TRANSPORT EQUIPMENT - GOODS REFERENCE.Declaration goods item number	n..5	declarationGoodsItemNumber
MESSAGE - CONSIGNMENT - LOCATION OF GOODS		LocationOfGoods
MESSAGE - CONSIGNMENT - LOCATION OF GOODS.Type of location	a1	typeOfLocation
MESSAGE - CONSIGNMENT - LOCATION OF GOODS.Qualifier of identification	a1	qualifierOfIdentification
MESSAGE - CONSIGNMENT - LOCATION OF GOODS.Authorisation number	an..35	authorisationNumber
MESSAGE - CONSIGNMENT - LOCATION OF GOODS.Additional identifier	an..4	additionalIdentifier
MESSAGE - CONSIGNMENT - LOCATION OF GOODS.UN LOCODE	an..17	UNLocode
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CUSTOMS OFFICE		CustomsOffice
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CUSTOMS OFFICE.Reference number	an8	referenceNumber
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - GNSS		GNSS
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - GNSS.Latitude	an..17	latitude
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - GNSS.Longitude	an..17	longitude
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ECONOMIC OPERATOR		EconomicOperator
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ECONOMIC OPERATOR.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS		Address
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS.City	an..35	city
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - ADDRESS.Country	a2	country
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - POSTCODE ADDRESS		PostcodeAddress
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - POSTCODE ADDRESS.House number	an..17	houseNumber
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - POSTCODE ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - POSTCODE ADDRESS.Country	a2	country
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CONTACT PERSON		ContactPerson
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CONTACT PERSON.Name	an..70	name
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - CONSIGNMENT - LOCATION OF GOODS - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS		DepartureTransportMeans
MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Type of identification	n2	typeOfIdentification
MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Identification number	an..35	identificationNumber
MESSAGE - CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Nationality	a2	nationality
MESSAGE - CONSIGNMENT - COUNTRY OF ROUTING OF CONSIGNMENT		CountryOfRoutingOfConsign ment
MESSAGE - CONSIGNMENT - COUNTRY OF ROUTING OF CONSIGNMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - COUNTRY OF ROUTING OF CONSIGNMENT.Country	a2	country
MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS		ActiveBorderTransportMeans
MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Sequence number	n..5	sequenceNumber

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Customs office at border reference number	an8	customsOfficeAtBorderReferenceNumber
MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Type of identification	n2	typeOfIdentification
MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Identification number	an..35	identificationNumber
MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Nationality	a2	nationality
MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Conveyance reference number	an..35	conveyanceReferenceNumber
MESSAGE - CONSIGNMENT - ACTIVE BORDER TRANSPORT MEANS.Conveyance reference number	an..17	conveyanceReferenceNumber
MESSAGE - CONSIGNMENT - PLACE OF LOADING		PlaceOfLoading
MESSAGE - CONSIGNMENT - PLACE OF LOADING.UN LOCODE	an..17	UNLocode
MESSAGE - CONSIGNMENT - PLACE OF LOADING.Country	a2	country
MESSAGE - CONSIGNMENT - PLACE OF LOADING.Location	an..35	location
MESSAGE - CONSIGNMENT - PLACE OF UNLOADING		PlaceOfUnloading
MESSAGE - CONSIGNMENT - PLACE OF UNLOADING.UN LOCODE	an..17	UNLocode
MESSAGE - CONSIGNMENT - PLACE OF UNLOADING.Country	a2	country
MESSAGE - CONSIGNMENT - PLACE OF UNLOADING.Location	an..35	location
MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT		PreviousDocument
MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Complement of information	an..35	complementOfInformation
MESSAGE - CONSIGNMENT - PREVIOUS DOCUMENT.Complete control	n1	completeControl
MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT		SupportingDocument
MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Document line item number	n..5	documentLineItemNumber
MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Complement of information	an..35	complementOfInformation
MESSAGE - CONSIGNMENT - SUPPORTING DOCUMENT.Complete control	n1	completeControl
MESSAGE - CONSIGNMENT - TRANSPORT DOCUMENT		TransportDocument
MESSAGE - CONSIGNMENT - TRANSPORT DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - TRANSPORT DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - TRANSPORT DOCUMENT.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - ADDITIONAL REFERENCE		AdditionalReference
MESSAGE - CONSIGNMENT - ADDITIONAL REFERENCE.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - ADDITIONAL REFERENCE.Type	an4	type
MESSAGE - CONSIGNMENT - ADDITIONAL REFERENCE.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION		AdditionalInformation
MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION.Code	an5	code
MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION.Text	an..512	text
MESSAGE - CONSIGNMENT - ADDITIONAL INFORMATION.Complete control	n1	completeControl
MESSAGE - CONSIGNMENT - INCIDENT		Incident
MESSAGE - CONSIGNMENT - INCIDENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - INCIDENT.Code	n1	code
MESSAGE - CONSIGNMENT - INCIDENT.Text	an..512	text
MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT		Endorsement
MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT.Date	an10	date

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT.Authority	an..35	authority
MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT.Place	an..35	place
MESSAGE - CONSIGNMENT - INCIDENT - ENDORSEMENT.Country	a2	country
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION		Location
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION.Qualifier of identification	a1	qualifierOfIdentification
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION.UN LOCODE	an..17	UNLocode
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION.Country	a2	country
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - GNSS		GNSS
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - GNSS.Latitude	an..17	latitude
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - GNSS.Longitude	an..17	longitude
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - ADDRESS		Address
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - INCIDENT - LOCATION - ADDRESS.City	an..35	city
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT		TransportEquipment
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT.Container identification number	an..17	containerIdentificationNumber
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT.Number of seals	n..4	numberOfSeals
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - SEAL		Seal
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - SEAL.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - SEAL.Identifier	an..20	identifier
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - GOODS REFERENCE		GoodsReference
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - GOODS REFERENCE.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - INCIDENT - TRANSPORT EQUIPMENT - GOODS REFERENCE.Declaration goods item number	n..5	declarationGoodsItemNumber
MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT		Transshipment
MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT.Container indicator	n1	containerIndicator
MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT - TRANSPORT MEANS		TransportMeans
MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT - TRANSPORT MEANS.Type of identification	n2	typeOfIdentification
MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT - TRANSPORT MEANS.Identification number	an..35	identificationNumber
MESSAGE - CONSIGNMENT - INCIDENT - TRANSHIPMENT - TRANSPORT MEANS.Nationality	a2	nationality
MESSAGE - CONSIGNMENT - TRANSPORT CHARGES		TransportCharges
MESSAGE - CONSIGNMENT - TRANSPORT CHARGES.Method of payment	a1	methodOfPayment
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT		HouseConsignment
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Country of dispatch	a2	countryOfDispatch
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Gross mass	n..16,6	grossMass
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Reference number UCR	an..35	referenceNumberUCR
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Reference number UCR	an..70	referenceNumberUCR
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Security indicator from export declaration	n1	securityIndicatorFromExportDeclaration
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT.Release type	n1	releaseType
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR		Consignor
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR.Name	an..70	name

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS		Address
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS.City	an..35	city
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - ADDRESS.Country	a2	country
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - CONTACT PERSON		ContactPerson
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - CONTACT PERSON.Name	an..70	name
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - CONTACT PERSON.Phone number	an..35	phoneNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNOR - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE		Consignee
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE.Name	an..70	name
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS		Address
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS.City	an..35	city
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNEE - ADDRESS.Country	a2	country
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR		AdditionalSupplyChainActor
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Role	a..3	role
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL SUPPLY CHAIN ACTOR.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS		DepartureTransportMeans
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Type of identification	n2	typeOfIdentification
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Identification number	an..35	identificationNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - DEPARTURE TRANSPORT MEANS.Nationality	a2	nationality
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT		PreviousDocument
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - PREVIOUS DOCUMENT.Complement of information	an..35	complementOfInformation
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT		SupportingDocument
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Reference number	an..70	referenceNumber

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Document line item number	n..5	documentLineItemNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Complement of information	an..35	complementOfInformation
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - SUPPORTING DOCUMENT.Complete control	n1	completeControl
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT DOCUMENT		TransportDocument
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT DOCUMENT.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL REFERENCE		AdditionalReference
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL REFERENCE.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL REFERENCE.Type	an4	type
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL REFERENCE.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION		AdditionalInformation
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION.Code	an5	code
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION.Text	an..512	text
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - ADDITIONAL INFORMATION.Complete control	n1	completeControl
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT CHARGES		TransportCharges
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - TRANSPORT CHARGES.Method of payment	a1	methodOfPayment
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM		ConsignmentItem
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Goods item number	n..5	goodsItemNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Declaration goods item number	n..5	declarationGoodsItemNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Declaration type	an..5	declarationType
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Country of dispatch	a2	countryOfDispatch
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Country of destination	a2	countryOfDestination
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Reference number UCR	an..70	referenceNumberUCR
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Release type	n1	releaseType
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Reference number UCR	an..35	referenceNumberUCR
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE		Consignee
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE.Name	an..70	name
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS		Address
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS.City	an..35	city

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - CONSIGNEE - ADDRESS.Country	a2	country
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL SUPPLY CHAIN ACTOR		AdditionalSupplyChainActor
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL SUPPLY CHAIN ACTOR.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL SUPPLY CHAIN ACTOR.Role	a..3	role
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL SUPPLY CHAIN ACTOR.Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY		Commodity
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY.Description of goods	an..512	descriptionOfGoods
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY.CUS code	an9	cusCode
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - COMMODITY CODE		CommodityCode
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - COMMODITY CODE.Harmonized System sub-heading code	an6	harmonizedSystemSubHeadingCode
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - COMMODITY CODE.Combined nomenclature code	an2	combinedNomenclatureCode
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - DANGEROUS GOODS		DangerousGoods
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - DANGEROUS GOODS.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - DANGEROUS GOODS.UN Number	an4	UNNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - GOODS MEASURE		GoodsMeasure
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - GOODS MEASURE.Gross mass	n..16,6	grossMass
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - GOODS MEASURE.Net mass	n..16,6	netMass
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - COMMODITY - GOODS MEASURE.Supplementary units	n..16,6	supplementaryUnits
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING		Packaging
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING.Type of packages	an2	typeOfPackages
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING.Number of packages	n..8	numberOfPackages
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PACKAGING.Shipping marks	an..512	shippingMarks
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT		PreviousDocument
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Goods item number	n..5	goodsItemNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Type of packages	an2	typeOfPackages
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Number of packages	n..8	numberOfPackages
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Measurement unit and qualifier	an..4	measurementUnitAndQualifier
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Quantity	n..16,6	quantity
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Complement of information	an..35	complementOfInformation

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - PREVIOUS DOCUMENT.Complete control	n1	completeControl
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT		SupportingDocument
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Document line item number	n..5	documentLineItemNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Complement of information	an..35	complementOfInformation
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - SUPPORTING DOCUMENT.Complete control	n1	completeControl
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT DOCUMENT		TransportDocument
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT DOCUMENT.Type	an4	type
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT DOCUMENT.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL REFERENCE		AdditionalReference
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL REFERENCE.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL REFERENCE.Type	an4	type
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL REFERENCE.Reference number	an..70	referenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION		AdditionalInformation
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION.Sequence number	n..5	sequenceNumber
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION.Code	an5	code
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION.Text	an..512	text
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - ADDITIONAL INFORMATION.Complete control	n1	completeControl
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT CHARGES		TransportCharges
MESSAGE - CONSIGNMENT - HOUSE CONSIGNMENT - CONSIGNMENT ITEM - TRANSPORT CHARGES.Method of payment	a1	methodOfPayment
MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL)		ConsigneeActual
MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL).Identification number	an..17	identificationNumber
MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL).Name	an..70	name
MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS		Address
MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS.Postcode	an..17	postcode
MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS.City	an..35	city
MESSAGE - CONSIGNMENT - CONSIGNEE (ACTUAL) - ADDRESS.Country	a2	country
MESSAGE - REQUESTED DOCUMENT		RequestedDocument
MESSAGE - REQUESTED DOCUMENT.Sequence number	n..5	sequenceNumber
MESSAGE - REQUESTED DOCUMENT.Document type	an4	documentType
MESSAGE - REQUESTED DOCUMENT.Description	an..512	description
MESSAGE - CUSTOMS OFFICE OF GUARANTEE		CustomsOfficeOfGuarantee
MESSAGE - CUSTOMS OFFICE OF GUARANTEE.Reference number	an8	referenceNumber
MESSAGE - XML ERROR		XMLError
MESSAGE - XML ERROR.Error line number	n..9	errorLineNumber
MESSAGE - XML ERROR.Error column number	n..9	errorColumnNumber
MESSAGE - XML ERROR.Error pointer	an..512	errorPointer



DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - XML ERROR.Error code	n2	errorCode
MESSAGE - XML ERROR.Error text	an..512	errorText
MESSAGE - XML ERROR.Original attribute value	an..512	originalAttributeValue
MESSAGE - COUNTRY		Country
MESSAGE - COUNTRY.Sequence number	n..5	sequenceNumber
MESSAGE - COUNTRY.Country	a2	country
MESSAGE - COUNTRY - ACTION		Action
MESSAGE - COUNTRY - ACTION.Sequence number	n..5	sequenceNumber
MESSAGE - COUNTRY - ACTION.Operation	a1	operation
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY		Unavailability
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Sequence number	n..5	sequenceNumber
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Type	a1	type
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Functionality	a1	functionality
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Start date and time	an19	startDateAndTime
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.End date and time	an19	endDateAndTime
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Explanation	an2	explanation
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY.Text	an..512	text
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY - FALLBACK		Fallback
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY - FALLBACK.Flag	n1	flag
MESSAGE - COUNTRY - ACTION - UNAVAILABILITY - FALLBACK.Text	an..512	text
MESSAGE - SENDING COUNTRY		SendingCountry
MESSAGE - SENDING COUNTRY.Country	a2	country
MESSAGE - SENDING COUNTRY.Year	n4	year
MESSAGE - SENDING COUNTRY.Month	an2	month
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY		SystemApplicability
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY.Sequence number	n..5	sequenceNumber
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY.System code	n..2	systemCode
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS		StatisticalCharacteristics
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS.Sequence number	n..5	sequenceNumber
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS.Operation	a1	operation
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS.Statistics type	an4	statisticsType
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS.Statistics type support	n1	statisticsTypeSupport
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS - SERIES ELEMENTS		SeriesElements
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS - SERIES ELEMENTS.Sequence number	n..5	sequenceNumber
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS - SERIES ELEMENTS.Other country	a2	otherCountry
MESSAGE - SENDING COUNTRY - SYSTEM APPLICABILITY - STATISTICAL CHARACTERISTICS - SERIES ELEMENTS.Counter	n..9	counter
MESSAGE - GUARANTEE REFERENCE		GuaranteeReference
MESSAGE - GUARANTEE REFERENCE.Sequence number	n..5	sequenceNumber
MESSAGE - GUARANTEE REFERENCE.GRN	an..24	GRN
MESSAGE - GUARANTEE REFERENCE.Currency	a3	currency
MESSAGE - GUARANTEE REFERENCE.Issue date	an10	issueDate
MESSAGE - GUARANTEE REFERENCE.Reference amount	n..16,2	referenceAmount
MESSAGE - GUARANTEE REFERENCE.Percentage of reference amount	n..3	percentageOfReferenceAmount
MESSAGE - GUARANTEE REFERENCE.Guarantee amount	n..16,2	guaranteeAmount
MESSAGE - GUARANTEE REFERENCE.Master access code	an..4	masterAccessCode
MESSAGE - GUARANTEE REFERENCE.Number of certificates	n..8	numberOfCertificates
MESSAGE - GUARANTEE REFERENCE.Validity date	an10	validityDate
MESSAGE - GUARANTEE REFERENCE.Invalidity date	an10	invalidityDate
MESSAGE - GUARANTEE REFERENCE.Invalidity reason code	an3	invalidityReasonCode
MESSAGE - GUARANTEE REFERENCE.Restricted use (suspended goods)	n1	restrictedUseSuspendedGoods

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - GUARANTEE REFERENCE.Liability liberation date	an10	liabilityLiberationDate
MESSAGE - GUARANTEE REFERENCE.Acceptance date and time	an19	acceptanceDateAndTime
MESSAGE - GUARANTEE REFERENCE.Guarantee type	an1	guaranteeType
MESSAGE - GUARANTEE REFERENCE.Guarantee monitoring code	n1	guaranteeMonitoringCode
MESSAGE - GUARANTEE REFERENCE.Invalidity reason text	an..512	invalidityReasonText
MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON		InvalidGuaranteeReason
MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Code	an..3	code
MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Text	an..512	text
MESSAGE - GUARANTEE REFERENCE.Access code	an..4	accessCode
MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY		GuaranteeQuery
MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Query identifier	n1	queryIdentifier
MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Period from date	an10	periodFromDate
MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Period to date	an10	periodToDate
MESSAGE - GUARANTEE REFERENCE - OWNER		Owner
MESSAGE - GUARANTEE REFERENCE - OWNER.Identification number	an..17	identificationNumber
MESSAGE - GUARANTEE REFERENCE - OWNER.Name	an..70	name
MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS		Address
MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS.Postcode	an..17	postcode
MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS.City	an..35	city
MESSAGE - GUARANTEE REFERENCE - OWNER - ADDRESS.Country	a2	country
MESSAGE - GUARANTEE REFERENCE - CUSTOMS OFFICE OF GUARANTEE		CustomsOfficeOfGuarantee
MESSAGE - GUARANTEE REFERENCE - CUSTOMS OFFICE OF GUARANTEE.Reference number	an8	referenceNumber
MESSAGE - GUARANTEE REFERENCE - USAGE		Usage
MESSAGE - GUARANTEE REFERENCE - USAGE.Sequence number	n..5	sequenceNumber
MESSAGE - GUARANTEE REFERENCE - USAGE.MRN	an18	MRN
MESSAGE - GUARANTEE REFERENCE - USAGE.Covered amount	n..16,2	coveredAmount
MESSAGE - GUARANTEE REFERENCE - USAGE.Currency	a3	currency
MESSAGE - GUARANTEE REFERENCE - USAGE.Lock date	an10	lockDate
MESSAGE - GUARANTEE REFERENCE - USAGE.Arrival date and time	an19	arrivalDateAndTime
MESSAGE - GUARANTEE REFERENCE - USAGE.Release date	an10	releaseDate
MESSAGE - GUARANTEE REFERENCE - EXPOSURE		Exposure
MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Exposure	n..16,2	exposure
MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Exposure counter	n..8	exposureCounter
MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Balance	n..16,2	balance
MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Currency	a3	currency
MESSAGE - GUARANTEE REFERENCE - GUARANTOR		Guarantor
MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Identification number	an..17	identificationNumber
MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Name	an..70	name
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS		Address
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS.Street and number	an..70	streetAndNumber
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS.Postcode	an..17	postcode
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS.City	an..35	city
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - ADDRESS.Country	a2	country
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - CONTACT PERSON		ContactPerson
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - CONTACT PERSON.Name	an..70	name
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - CONTACT PERSON.Phone number	an..35	phoneNumber

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - GUARANTEE REFERENCE - GUARANTOR - CONTACT PERSON.E-mail address	an..256	eMailAddress
MESSAGE - GUARANTEE REFERENCE.TIR Carnet	n1	TIRCarnet
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE		ComprehensiveGuarantee
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Reference amount	n..16,2	referenceAmount
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Percentage of reference amount	n..3	percentageOfReferenceAmount
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Guarantee amount	n..16,2	guaranteeAmount
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Currency	a3	currency
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Number of certificates	n..8	numberOfCertificates
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Validity start date	an10	validityStartDate
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Validity end date	an10	validityEndDate
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Invalidity reason code	an3	invalidityReasonCode
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Invalidity reason text	an..512	invalidityReasonText
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Liability liberation date	an10	liabilityLiberationDate
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Restricted use for suspended goods	n1	restrictedUseForSuspendedGoods
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION		ValidityLimitation
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION.Sequence number	n..5	sequenceNumber
MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION.Guarantee not valid in	a2	guaranteeNotValidIn
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR		IndividualGuaranteeByGuarantor
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR.Guarantee amount	n..16,2	guaranteeAmount
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR.Currency	a3	currency
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - CUSTOMS OFFICE OF DEPARTURE		CustomsOfficeOfDeparture
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - CUSTOMS OFFICE OF DEPARTURE.Reference number	an8	referenceNumber
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - CUSTOMS OFFICE OF DESTINATION		CustomsOfficeOfDestination
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - CUSTOMS OFFICE OF DESTINATION.Reference number	an8	referenceNumber
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER		IndividualGuaranteeVoucher
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Issue date	an10	issueDate
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Expiry date	an10	expiryDate
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Copy given	n1	copyGiven
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.TIR Carnet	n1	TIRCarnet
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Voucher amount	n..16,2	voucherAmount
MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Currency	a3	currency
MESSAGE - GUARANTEE REFERENCE - ACCESS CODE		AccessCode
MESSAGE - GUARANTEE REFERENCE - ACCESS CODE.Access code	an..4	accessCode
MESSAGE - GUARANTEE REFERENCE - ACCESS CODE.Access code current	an..4	accessCodeCurrent
MESSAGE - GUARANTEE REFERENCE - ACCESS CODE.Access code new	an..4	accessCodeNew
MESSAGE - GUARANTEE REFERENCE.Expiry date	an10	expiryDate
MESSAGE - GUARANTEE REFERENCE.Copy given	n1	copyGiven
MESSAGE - GUARANTEE REFERENCE.Voucher amount	n..16,2	voucherAmount

DDNTA for NCTS P5. Version 5.14.0	Aligned to DDNTA RFC-List.34
REF:DDNTA_APP_R	
Appendix R: XML Mapping	
2. Data Groups	

Data-group or Data-item	Data type	XML-Tag
MESSAGE - FUNCTIONAL ERROR		FunctionalError
MESSAGE - FUNCTIONAL ERROR.Sequence number	n..5	sequenceNumber
MESSAGE - FUNCTIONAL ERROR.Error pointer	an..512	errorPointer
MESSAGE - FUNCTIONAL ERROR.Error code	n2	errorCode
MESSAGE - FUNCTIONAL ERROR.Error reason	an..7	errorReason
MESSAGE - FUNCTIONAL ERROR.Original attribute value	an..512	originalAttributeValue
MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE		CustomsOfficeOfRecoveryAtDeparture
MESSAGE - CUSTOMS OFFICE OF RECOVERY AT DEPARTURE.Reference number	an8	referenceNumber
MESSAGE - EVALUATED MESSAGE		EvaluatedMessage
MESSAGE - EVALUATED MESSAGE.Message type	an6	messageType
MESSAGE - EVALUATED MESSAGE.Country	a2	country
MESSAGE - EVALUATED MESSAGE.Year	n4	year
MESSAGE - EVALUATED MESSAGE.Month	an2	month
MESSAGE - CONSISTENCY CHECK WARNING		ConsistencyCheckWarning
MESSAGE - CONSISTENCY CHECK WARNING.Warning pointer	an..512	warningPointer
MESSAGE - CONSISTENCY CHECK WARNING.Warning code	an6	warningCode
MESSAGE - CONSISTENCY CHECK WARNING.Original attribute value	an..512	originalAttributeValue